

# ORBOT SLiM

Accessories Brochure

Slender  
yet mighty



# ORBOT SLiM

Lithium-ion Hybrid

Designed for small spaces like bathrooms, hallways, and kitchens, this lightweight yet powerful machine fits easily under furniture and delivers outstanding deep cleaning. With its low-moisture technology, on-board solution tank, and quick change pad system, the ORBOT SLiM offers versatile floor cleaning.



Scan for more info



CRI CERTIFIED



## Specifications

**BASE DIAMETER** 27.9cm | **MOTOR** 36V,330W DC | **DUAL RPM SPEED** Orbital 3000 RPM + Rotational 120 RPM  
**LITHIUM-ION BATTERY** 36V / 216Wh / 6Ah | **RUN TIME** Up to 45 minutes (depending on floor/pad) | **CHARGE TIME** 90 minutes  
**NOISE LEVEL** 59dB | **WEIGHT** 12.7 + 2.7kg w/tank & battery | **HEIGHT** 119cm | **SOLUTION TANK CAPACITY** 2.84L | **PUMP** 58PSI / 4 BAR

# ORBOT SLiM

Lithium-ion Hybrid

## Accessories



**Article Description**  
KIT PAD SUPERZORB SOIL 11INCH  
ORBOT SLIM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

**Article Code**  
120.0747.0



**Article Description**  
KIT PAD MICROFIBRE 11INCH  
ORBOT SLIM [5PCS]

Absorbent microfibre for soil removal. Wring them out and keep cleaning.

**Article Code**  
120.0727.0



**Article Description**  
SCRUB BRUSH TILES/GROUTS  
11INCH ORBOT SLIM

Effectively scrubs even the most porous tile & grout.

**Article Code**  
120.0738.0



**Article Description**  
KIT PAD ULTRALIFT 11INCH  
ORBOT SLIM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring.

**Article Code**  
120.0726.0



**Article Description**  
KIT PAD STONEFLASH 17 INCH  
STEPS 1-5 ORBOT [5PCS]

Use all five pads to grind, hone and polish. (Comes with steps 1-5) **Note:** Also available as individual steps.

**Article Code**  
120.0719.0



**Article Description**  
SCRUB BRUSH CARPET  
11INCH ORBOT SLIM [1PC]

Provides powerful deep cleaning and scrubbing of carpets.

**Article Code**  
120.0748.0



**Article Description**  
KIT ASSY BATTERY LI-ION 36V  
6.4A ORBOT SLIM

36V, 6AH (BMS). Continue cleaning by keeping an extra battery on hand.

**Article Code**  
S.120.0311.0

AU



**Article Description**  
KIT ASSY CHARGER AU ORBOT  
SLIM

Base unit with power charge indicator lights.

**Article Code**  
S.120.1000.8



### FLOOR TYPES

ACCESSORIES

	Carpet	Stone	Tile & Grout	Natural Stone & Terrazzo	Epoxy Coating & Terrazzo	Wood	Laminate	Porcelain, Tiles & Safety	Textured Rubber	PVC, VCT & Linoleum	Smooth Concrete	Rough Concrete/ Asphalt
	MICROPOROUS HARD FLOORS											
SuperZorb Pad Over 100 Washes	20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )	Up to 40,000 ft <sup>2</sup> (3,700 m <sup>2</sup> )
	POWER MOPPING											
Microfiber Pad Up to 50 Washes	10,000 ft <sup>2</sup> (930 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )	Up to 20,000 ft <sup>2</sup> (1,850 m <sup>2</sup> )
UltraLift Pad		Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )	Up to 2,500 ft <sup>2</sup> (230 m <sup>2</sup> )
AkwaStrip Pad						1,500 - 3,000 ft <sup>2</sup> (140-280 m <sup>2</sup> )					1,500 - 3,000 ft <sup>2</sup> (140-280 m <sup>2</sup> )	
StoneFlash Pad System		Pads 1-5 Avg. 3,000 ft <sup>2</sup> (279 m <sup>2</sup> )		Pads 1-5 Avg. 3,000 ft <sup>2</sup> (279 m <sup>2</sup> )								
Tile & Grout Brush		100 hrs	100 hrs	100 hrs	100 hrs		100 hrs	100 hrs	100 hrs		75 hrs	30 hrs
Environ Cleaning Solution	1 gal (3.78 L) cleans up to 50,000 ft <sup>2</sup> (4,650 m <sup>2</sup> )											

NOTE: The average values can vary depending on floor type & condition, grade of soil, needed care, and operator experience

# FLOOR TYPES

Floor Types & Accompanying Accessories



# ORBOT

### The ORBOT Method uses 95% less water than traditional carpet cleaning methods

ORBOT's dual-action technology ORBOT's unique low-moisture system uses 10 times less the amount of water opposed to other water extraction methods. The power mopping ability of SuperZorb pads means over-wet carpets that harvest mold and mildew will never be an issue. And the agitating ability of AgiClean pads remove soil seep down and eliminates stains and bacteria growth. With drying times reduced exponentially, cleaned areas can be reopened to foot traffic sooner and customer spaces can be accessible earlier. The ORBOT method is gentle on fibers which significantly preserves the life of the carpet.



## TRADITIONAL METHOD

Standard carpet cleaning methods create problems

- Substandard results
- Mold and bacteria growth
- Slip and fall accidents
- Damages carpet fibers
- Poor indoor air quality
- Carpet wrinkles
- Voided carpet warranties
- Wet carpets
- Reduced carpet life
- Long dry times
- Recurring stains
- Color fading

## ORBOT METHOD

ORBOT carpet cleaning methods solve problems

The ORBOT method eliminates all traditional method problems. Our patented vibration extraction technology provides the safest, fastest and most efficient type of deep cleaning available.

Use these 11 inch accessories for "Wow Factor" results on carpet




**Article Description**

KIT PAD SUPERZORB SOIL 11INCH  
ORBOT SLiM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

**Article Code**

120.0747.0



**Article Description**

ORBOT SLiM MICROFIBRE 11 INCH  
PADS [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning dirty carpets.

**Article Code**

120.0727.0

### The ORBOT Method cleans fast and effectively

The development of dark, nasty mildew found in grout lines in wet environments is inevitable. Traditionally, small specialty grout brushes are used to clean these surfaces. Unfortunately, porous tile and filthy grout lines are notoriously difficult and tedious to clean once dirt has settled into grout lines or tiny crevices of tile.

The ORBOT Method achieves unparalleled cleaning results on tile and grout by combining our machines patented technology with our multi-surface brush. The secret behind our brush system and its unique design is the bristles varying lengths and diameters. The short, thicker bristles clean top surfaces, while the medium length bristles reach into stubborn crevices and pores. The longer, angled bristles located around the outer edge of the brush are specifically developed to clean hard to reach areas such as along edges and around obstacles. This system negates the use of excessive water and harsh chemicals.



### TRADITIONAL METHOD

Standard tile & grout cleaning methods create problems

- Grout lines along edges of walls cannot be reached
- Multiple passes required to penetrate grout lines
- Crevices, cracks and pores are difficult to clean
- Harsh chemicals required to achieve results
- Brush bristles do not reach deep grout lines
- Labor intensive

### ORBOT METHOD

ORBOT tile & grout cleaning methods solve problems

The ORBOT method achieves unparalleled cleaning results by combining our technology with our multi-surface brush. The secret behind our brush design is the varying bristle length and diameters.

The short, thicker bristles clean top surfaces, while the medium length bristles reach stubborn crevices, grout lines and pores. The longer bristles are specifically developed to clean hard to reach areas. This system also reduces the need for excessive water and harsh chemicals.



Use these 11 inch accessories for "Wow Factor" results on tile & grout



**Article Description**

ORBOT SLiM TILE & GROUT BRUSH 11 INCH [1PC]

Effectively scrubs even the most porous tile & grout.

**Article Code**  
120.0738.0



**Article Description**

KIT PAD ULTRALIFT 11INCH ORBOT SLiM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring.

**Article Code**  
120.0726.0




**Article Description**

KIT PAD SUPERZORB SOIL 11INCH ORBOT SLiM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

**Article Code**  
120.0747.0



**Article Description**

KIT PAD MICROFIBRE 11INCH ORBOT SLiM [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning.

**Article Code**  
120.0727.0

### The ORBOT Method achieves complete floor restoration and reconditioning

Traditionally, refinishing and resurfacing stone involves the use of harsh chemicals to increase reflective properties of the stone. However, the chemical method cannot remove scratches or lippage and if used improperly or for extended periods of time, stone quality can diminish. Another method for stone refinishing, which focuses on using coatings, adds even more maintenance and eventually loses its effectiveness, requiring the stripping of these coatings.

The ORBOT 'StoneFlash Pad' Method is part of a 5-step chemical-free system for grinding, honing and polishing marble, terrazzo, travertine, limestone and more. Our 5-step complete restoration kit includes pads of various grit, allowing for a more precise execution of floor refinishing without the use of harsh chemicals. For light retouching, we also offer our maintenance package, which is steps 3-5 of the complete kit, perfect light scratches or simply the need for a gloss boost.



### TRADITIONAL METHOD

Standard stone cleaning methods create problems

- Consistency
- Long lasting shine
- Labor intensive
- Orange peel effect
- Wavy reflections
- Messy cleanups
- Etching damage
- Extensive professional training
- Calcium deficient stone

### ORBOT METHOD

ORBOT stone cleaning methods solve problems

The StoneFlash Pad system allows any operator to achieve superior results without the use of chemicals, polishing compounds and steel wool pads. This user friendly system allows unskilled operators the ability to grind, hone and polish like a true professional.

Achieve consistent color, depth and factory finish results on marble, limestone, travertine and terrazzo.

Use these 11 inch accessories for "Wow Factor" results on stone



**Article Description**

KIT PAD STONEFLASH 11INCH STEPS 1-5  
ORBOT SLIM [5PCS]

Use all five pads to grind, hone and polish.  
(Comes with steps 1-5)

**Article Code**  
120.0723.0




**Article Description**

KIT PAD SUPERZORB SOIL 11INCH ORBOT  
SLIM [10PCS]

Absorbent cotton pads for power  
mopping, soil removal, and fast dry times.  
**Use on smooth stone only.**

**Article Code**  
120.0747.0



**Article Description**

ORBOT SLIM MICROFIBRE 11 INCH PADS  
[5PCS]

Absorbent microfiber for soil removal.  
Wring them out and keep cleaning. **Use on  
smooth stone only.**

**Article Code**  
120.0727.0



**Article Description**

KIT PAD ULTRALIFT 11INCH ORBOT SLIM  
[5PCS]

Designed to create a suction effect to lift  
soil and grease from microporous flooring.  
**Use on smooth stone only.**

**Article Code**  
120.0726.0



### Instructions for restoration

- Install weight kit onto ORBOT machine (LiFE, SprayBorg & Vibe, not necessary on the SLiM machine).
- Fill bottle cartridge with water.
- Add appropriate pad.
- Move the machine forward and back, making at least 5 passes forward and 5 passes backwards, at 1 foot per second.  
*Tip: Overlap passes to avoid missing areas on the floor.*
- Repeat the forward and back motion for all steps 1-5.  
*Tip: The more passes made with steps 1-2, the better the results will be in the end when polishing with steps 4-5.*
- Always rinse the floors and vacuum between steps. Debris left behind from previous steps will result in scratching and a lower grade of gloss finish.



**STEP 1 Pad** - Removal of deep scratches and to resurface the stone flooring. Step 1 is the most important step to achieve the best results. Step 1 will grind the floor down and allow for steps 2-5 to achieve a high gloss result.

**STEP 2 Pad** - Removal of medium scratches.

**STEP 3 Pad** - Honing step, prepares floor to achieve a glossy finish.

**STEP 4-5 Pads** - Polishing pads. Customers can choose which gloss level is satisfactory by finishing after step 4 or 5.

*Tip: Step 5 will produce the highest gloss, color depth, and clarity, and is used for daily maintenance.*

### The ORBOT Method achieves complete floor restoration and reconditioning

Microporous flooring can be difficult to clean by traditional means. Deeply penetrated dirt and grease in specialized ceramic, composite and porcelain flooring can be problematic.

The ORBOT method is one of the only systems that can actually pull the dirt from porous floors. Using our specialized open-cell UltraLift pad, the orbital drive motion of our ORBOT machines when combined with the UltraLift pad create a suction effect. Easily lift away grease and dirt while simultaneously scrubbing away surface stains and stubborn black marks, with the majority of situations only requiring the use of water. UltraLift pad can be used on vinyl, linoleum, stone, ceramic, porcelain, wood, smooth concrete and any other types of smooth surface.



### TRADITIONAL METHOD

Microporous flooring can be problematic

Dirt & grease can deeply penetrate specialized hard floors making it quite difficult to lift.

- Ceramic tile
- Epoxy
- Composite
- Porcelain

### ORBOT METHOD

The ORBOT system actually lifts dirt from porous floors

Our orbital drive machines combined with our specialized UltraLift pad creates a suction effect simultaneously scrubbing surface stains and stubborn black marks mainly requiring only water.

Use this 11 inch accessory for "Wow Factor" results on microporous floors



**Article Description**

KIT PAD ULTRALIFT 11INCH ORBOT SLIM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring.

**Article Code**

120.0726.0



**Article Description**

ORBOT SLIM TILE & GROUT BRUSH 11 INCH [1PC]

Effectively scrubs even the most porous tile & grout.

**ArtiArticle Code**

120.0738.0



**Article Description**

KIT PAD SUPERZORB SOIL 11INCH ORBOT SLIM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

**Article Code**

120.0747.0